



SPINE ELASTICHE GREZZE




Spine elastiche

- A norma DIN 1481/ISO 8752
- In acciaio per molle grezzo




Ø	Lunghezza	Art.
2	10	F0475 2 10
2	12	F0475 2 12
2	14	F0475 2 14
2	16	F0475 2 16
2	20	F0475 2 20
2	30	F0475 2 30
2	8	F0475 2 8
2,5	10	F0475 25 10
2,5	12	F0475 25 12
2,5	16	F0475 25 16
2,5	20	F0475 25 20
2,5	30	F0475 25 30
3	10	F0475 3 10
3	12	F0475 3 12
3	14	F0475 3 14
3	16	F0475 3 16
3	18	F0475 3 18
3	20	F0475 3 20
3	22	F0475 3 22
3	24	F0475 3 24
3	26	F0475 3 26
3	28	F0475 3 28
3	30	F0475 3 30
3	36	F0475 3 36
3	40	F0475 3 40
3	50	F0475 3 50
3	60	F0475 3 60
3	8	F0475 3 8

SPINE ELASTICHE GREZZE



Spine elastiche

- A norma DIN 1481/ISO 8752
- In acciaio per molle grezzo



ab d > 12 nur eine Fase


Ø	Lunghezza	Art.
3,5	16	F0475 35 16
3,5	20	F0475 35 20
3,5	30	F0475 35 30
3,5	40	F0475 35 40
4	10	F0475 4 10
4	12	F0475 4 12
4	14	F0475 4 14
4	16	F0475 4 16
4	18	F0475 4 18
4	20	F0475 4 20
4	22	F0475 4 22
4	24	F0475 4 24
4	25	F0475 4 25
4	26	F0475 4 26
4	80	F0475 4 28
4	30	F0475 4 30
4	32	F0475 4 32
4	36	F0475 4 36
4	40	F0475 4 40
4	45	F0475 4 45
4	50	F0475 4 50
4	60	F0475 4 60
4	70	F0475 4 70
4	8	F0475 4 8
5	10	F0475 5 10
5	12	F0475 5 12
5	16	F0475 5 16
5	18	F0475 5 18

SPINE ELASTICHE GREZZE




Spine elastiche

- A norma DIN 1481/ISO 8752
- In acciaio per molle grezzo




Ø	Lunghezza	Art.
5	20	F0475 5 20
5	24	F0475 5 24
5	25	F0475 5 25
5	26	F0475 5 26
5	28	F0475 5 28
5	30	F0475 5 30
5	32	F0475 5 32
5	35	F0475 5 35
5	36	F0475 5 36
5	40	F0475 5 40
5	45	F0475 5 45
5	50	F0475 5 50
5	60	F0475 5 60
5	70	F0475 5 70
5	80	F0475 5 80
6	10	F0475 6 10
6	100	F0475 6 100
6	12	F0475 6 12
6	14	F0475 6 14
6	16	F0475 6 16
6	18	F0475 6 18
6	20	F0475 6 20
6	22	F0475 6 22
6	24	F0475 6 24
6	25	F0475 6 25
6	26	F0475 6 26
6	28	F0475 6 28
6	30	F0475 6 30

SPINE ELASTICHE GREZZE



Spine elastiche


- A norma DIN 1481/ISO 8752
- In acciaio per molle grezzo



ab d > 12 nur eine Fase


Ø	Lunghezza	Art.
6	32	F0475 6 32
6	35	F0475 6 35
6	36	F0475 6 36
6	40	F0475 6 40
6	45	F0475 6 45
6	50	F0475 6 50
6	55	F0475 6 55
6	60	F0475 6 60
6	65	F0475 6 65
6	70	F0475 6 70
6	80	F0475 6 80
6	90	F0475 6 90
7	40	F0475 7 40
7	50	F0475 7 50
7	60	F0475 7 60
7	70	F0475 7 70
7	80	F0475 7 80
8	100	F0475 8 100
8	120	F0475 8 120
8	16	F0475 8 16
8	20	F0475 8 20
8	22	F0475 8 22
8	24	F0475 8 24
8	26	F0475 8 26
8	28	F0475 8 28
8	30	F0475 8 30
8	32	F0475 8 32
8	35	F0475 8 35

SPINE ELASTICHE GREZZE



Spine elastiche

- A norma DIN 1481/ISO 8752
- In acciaio per molle grezzo




Ø	Lunghezza	Art.
8	36	F0475 8 36
8	40	F0475 8 40
8	45	F0475 8 45
8	50	F0475 8 50
8	55	F0475 8 55
8	60	F0475 8 60
8	70	F0475 8 70
8	80	F0475 8 80
8	90	F0475 8 90
9	50	F0475 9 50
9	60	F0475 9 60
9	70	F0475 9 70
9	80	F0475 9 80
9	90	F0475 9 90
10	100	F0475 10 100
10	120	F0475 10 120
10	20	F0475 10 20
10	24	F0475 10 24
10	26	F0475 10 26
10	28	F0475 10 28
10	30	F0475 10 30
10	36	F0475 10 36
10	40	F0475 10 40
10	45	F0475 10 45
10	50	F0475 10 50
10	55	F0475 10 55
10	60	F0475 10 60
10	65	F0475 10 65

SPINE ELASTICHE GREZZE



Spine elastiche


- A norma DIN 1481/ISO 8752
- In acciaio per molle grezzo



ab d > 12 nur eine Fase


Ø	Lunghezza	Art.
10	70	F0475 10 70
10	80	F0475 10 80
10	90	F0475 10 90
12	100	F0475 12 100
12	120	F0475 12 120
12	140	F0475 12 140
12	26	F0475 12 26
12	30	F0475 12 30
12	36	F0475 12 36
12	40	F0475 12 40
12	45	F0475 12 45
12	50	F0475 12 50
12	60	F0475 12 60
12	70	F0475 12 70
12	80	F0475 12 80
12	90	F0475 12 90
13	60	F0475 13 60
13	70	F0475 13 70
13	80	F0475 13 80
14	100	F0475 14 100
14	40	F0475 14 40
14	50	F0475 14 50
14	60	F0475 14 60
14	80	F0475 14 80
16	100	F0475 16 100
16	120	F0475 16 120
16	40	F0475 16 40
16	50	F0475 16 50

SPINE ELASTICHE GREZZE



Spine elastiche

- A norma DIN 1481/ISO 8752
- In acciaio per molle grezzo



ab d > 12 nur eine Fase

Ø	Lunghezza	Art.
16	60	F0475 16 60
16	65	F0475 16 65
16	70	F0475 16 70
16	80	F0475 16 80
16	90	F0475 16 90
20	100	F0475 20 100
20	120	F0475 20 120
20	50	F0475 20 50
20	60	F0475 20 60
20	70	F0475 20 70